

R.M. of Estevan No. 5
#1, 322 - 4th Street
Estevan, SK. S4A 0T8
Ph-(306)634-2222 Fax-(306)634-2223
Email: rm5@sasktel.net

APPROACH CRITERIA FORM

Agricultural or Residential Acreage development

All property owners intending to construct an approach onto a Municipal Road Allowance or intending to use an existing approach onto a municipal road allowance shall adhere to the following:

- A. Each road approach shall be constructed as per the standards approach plans provided by the Municipality.
- B. Each road approach shall be constructed with a minimum of a 7 meter driving surface width and shall have 5 to 1 side slopes.
- C. The culverts shall be installed on the back slope side of the ditch with a minimum culvert size of 500mm in diameter and must be corrugated steel pipe unless otherwise approved by the R.M. Foreman. Culvert size can be lowered to 400mm where the depth of the ditch would result in inadequate cover over the culvert. 600mm culverts may be necessary where the ditch forms part of a significant drainage channel.
- D. The road adjacent to the approach *and* the approach shall have a combined minimum of 20 cubic yards of gravel placed upon them.
- E. Every road approach shall be inspected and maintained on an annual basis to ensure compliance to the municipal approach policy.
- F. An Applicant will be *pre-approved provided all policy requirements are met* and will receive Councils approval at their next regular Council meeting.
- G. If all Approach Criteria Form and standard approach plan requirements are not met the applicant will be responsible for any additional work or costs incurred by the Municipality to correct the deficiencies.
- H. Applicant of its successors and/or assigns shall indemnify and save harmless the R.M. of Estevan No. 5 from and against all loss, costs, charges, damages and expenses which result from this approach and any associated work to construct it.
- I. Applicant acknowledges acceptance to the above conditions by returning a copy of this APPROACH CRITERIA FORM to the Municipal Office, signed by the appropriate authorized personnel.

The proposed location of the approach shall be staked out by the property owner and the owner must receive approval from the Municipal Foreman Blaine Stropko for the location of the approach. The Municipal Foreman shall inspect the approach before and after the scheduled work is completed. Dean may be contacted at (306) 421- 9926.

The above conditions are hereby accepted for: _____
(Legal description & File Number)

Dated this _____ day of _____, 2_____.

Authorized Applicant Name (printed) and _____
Signature